




ZMN/QR-ZZ-143/A

ZMNXSDD26011 2337	399959	30.01.63.020		D600 LED()	A		ZMNSC260100005	1	5	

: 信息部
: 2026/01/07



M O M F Y 0 1 3 5 7 9

: ZMN/QR-GY-005/A

: 399959

: ZMNSC260100005

: MOMFY013579

: A

: 2026/01/07

: 1

1	13.01.13.018		U600	ZMN25120010	Pcs	5	5	D600 LED()		
2	13.01.14.002	()	D600	ZMN25120011	Pcs	5	5	D600 LED()		
3	19.01.059		Cyberbond 2008(20g)	ZMN25120012	Pcs	5	5	D600 LED()		
4	21.01.01.207		HD-8H() /	ZMN25120015	Pcs	5	5	D600 LED()		

:


昭成

2026/01/07 09:32:15

:

夏梅

2026/01/07 09:34:14



M O M F Y 0 1 3 5 8 9

: ZMN/QR-GY-005/A

: 399959

: ZMNSC260100005

: MOMFY013589

: A

: 2026/01/07

: 1


1	13.01.13.018		U600	ZMN25120010	Pcs	5	5	LED(D600)		
2	13.01.14.002	()	D600	ZMN25120011	Pcs	5	5	LED(D600)		

: 昭成
2026/01/07 09:42:55

: 夏梅
2026/01/07 09:44:11



桂林市啄木鸟医疗器械有限公司
Guilin Woodpecker Medical Instrument Co., Ltd.



M O M F Y 0 1 3 5 8 8

ZMN-QR-GY-053/A

A

ZMNSC260100005

1

01/07/2026

: MOMFY013588

1	19.01.059		Cyberbond 2008 (20g)	Pcs	5	5			

/

昭成

/

夏梅

2026/01/07 09:42:5

2026/01/07 09:43:5



ZMN/QR-GY-045/A

A

ZMNSC260100005

1

2026/01/07

MOMASN231102345

1	13.01.14.00 2	()	D600	Pcs	5	5				

夏梅

苏义顶

2026/01/07

2026/01/07



ZMN/QR-GY-045/A

A
2026/01/07

ZMNSC260100005
MOMASN231102346

1

1	19.01.059		Cyberbond 2008(20g)	Pcs	5	5				

/ 夏梅

2026/01/07

/ 苏义顶

2026/01/07



ZMN/QR-GY-045/A

A

ZMNSC260100005

1

2026/01/07

MOMASN231102348

1	13.01.13.01 8		U600	Pcs	5	0				

/ 夏梅
2026/01/07

/ 苏义顶
2026/01/07

A			ZMNSC260100005				1		ZMN-QR-ZZ-277/CO		
D600 LED ceshi							AA10-EIN-250618163500				
5			2026/01/07				2026/01/07				
1001			昭威	3		KBJ240723003	2	W	夏梅		
1001			昭威	2		KBJ240723002		W	夏梅		
1002			昭威	5					夏梅		
1003	1		昭威	5					夏梅		
1004			昭威	5					夏梅		
1005			昭威	5					夏梅		
1006			昭威	5					夏梅		
1007	2		昭威	5					夏梅		
1008			昭威	5					夏梅		
1009			昭威	5					夏梅		
1010			昭威	5					夏梅		
1011			夏梅	5		ZMN-CS-0016			吉林		
1011			夏梅	5		ZMN-CS-0026			吉林		
1012			夏梅	5					吉林		
1013			夏梅	5					吉林		
1014			夏梅	5		D2310-001		:111MPa	吉林		
1014			夏梅	5		D2310-001		:111mw/cm2	吉林		
1015			夏梅	2		LSD231024009	-L6	:222N·cm	吉林		
1015			夏梅	3		LSD231024009	-L6	:333N·cm	吉林		
1016			夏梅	2		LSD231024006	-L3	:222N·cm	吉林		
1016			夏梅	3		LSD231024006	-L3	:333N·cm	吉林		
1017			夏梅	5		CSY231024002	-T		吉林		
1018			夏梅	5		CSY231024002	-T		吉林		
1019			夏梅	5					吉林		
1020			吉林	5					瑞威		
1021			吉林	5					瑞威		
1022			吉林	5		CSY231024002	-T		瑞威		
1022			吉林	5		LSD231024004	-L	:111N·cm	瑞威		

1023			吉林	5					瑞威	
1024			吉林	5		CSY231024002	-T		瑞威	
1025			瑞威	5					Sie	
1026			瑞威	5	6				Sie	
1027			瑞威	5					Sie	
1028			瑞威	5					Sie	
1029			瑞威	5		ZMN2025189			Sie	
1030			瑞威	5					Sie	
1031			瑞威	5					Sie	
1032			瑞威	5					Sie	
1033			瑞威	5		ZMN-CS-0022			Sie	
-T:CSY231024002										
:LHJ250905041										
/ Sie 2026/01/07										
1										
2										
3										



A			ZMNSC260100005			1		5	
/ / :AA10-EIN-250618163500									
			Whitening , 3W 20S 20S						
1	L001	2	2026/01/07	10:29	10:29	吉林	0		
2	L003	3	2026/01/07	10:29	10:29	吉林	0		

A				D600 LED		ZMNSC260100005		1
								/
1	2026/01/07		ZMN25120010	1	111	瑞威	☒ (1) ☒ (0)	昭威 2026/01/07
2	2026/01/07	()	ZMN25120011	2	222	瑞威	☒ (1) ☒ (1)	昭威 2026/01/07
3	2026/01/07		ZMN25120012	3	333	瑞威	☒ (1) ☒ (2)	昭威 2026/01/07
								/
1	1		☐ ☒	ZG202601001		☐ ☐		昭威 2026/01/07
2	1		☐ ☒	ZG202601002		☐ ☐		昭威 2026/01/07
3			☐ ☐			☐ ☒	ZG202601003	昭威 2026/01/07
1	“ 1 ”			“ 1 ”				
2	“ ”			ZMN/OP-24				



		A								D600 LED ceshi					ZMNSC260100005			1
		5			5				D600 LED ceshi ZMN/WI-02-762/1.0									
					1	2	3	4	5	6	7	8						
1			/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			
2			/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			
3	1		/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			
4	2		/	/	26.30	25	29.90	30.40	28.50	/	/	/		2026/01/07	Sie			
5	1		/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			
6	2		/	/	25.50	25.40	25	30.60	25.70	/	/	/		2026/01/07	Sie			
7			/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			
8			/	/	√	√	√	√	√	/	/	/		2026/01/07	Sie			

1 “√” “×”
2
3 “/”



ZMN/QR-QA-005/C

				D600 LED		ZMNSC260100005		1		5
				IL:S-3;AQL:1.5;Ae:0; Re:1				2026/01/07		5
				D600 LED	ceshi	ZMN/WI-02-770				
1				QS100	1.1			√		
2				QS100	1.2			√		
3				QS100	1.3			√		
4				QS100	1.4			√		
5				QS100	2345544			√		
6				QS100	3.1	-	-	√		
7				QS100	3.2			√		
8				QS100	3.3		“ OVER ”	√		
9				QS100	3.4	USB	“ OVER ”	√		
10				QS100	3.5			√		
11				QS100	4.1	100rpm ± 10%		102		
12				QS100	4.2	600rpm ± 10%		601		
13				QS100	4.3	1200rpm ± 10%		1108		



14				QS100	5.1	0.4N.cm ± 20%	100rpm	0.34			
15				QS100	5.2	2.5N.cm ± 20%	350rpm	2.28			
16				QS100	5.3	5.0N.cm ± 20%	350rpm	5.02			
17				QS100	8.1	A-a2()	4000V 1min	√			
18				QS100	8.2	B-a()	4000V 1min	√			
19				QS100	≤ 500 μ A			179			
20				QS100				√			
21				QS100	≤ 100 μ A			54			
22				QS101	1.1			√			
23				QS101	1.2			√			
24				QS101	1.3			√			
25				QS101	1.4			√			
26				QS101	2345544			√			
27				QS101	3.1	-	-	√			
28				QS101	3.2			√			
29				QS101	3.3	“ OVER ”		√			



30				QS101	3.4 USB	“ OVER ”	√			
31				QS101	3.5		√			
32				QS101	4.1	100rpm ± 10%	99			
33				QS101	4.2	600rpm ± 10%	581			
34				QS101	4.3	1200rpm ± 10%	1218			
35				QS101	5.1	0.4N.cm ± 20% 100rpm	0.35			
36				QS101	5.2	2.5N.cm ± 20% 350rpm	2.57			
37				QS101	5.3	5.0N.cm ± 20% 350rpm	4.86			
38				QS101	8.1 A-a2()	4000V 1min	√			
39				QS101	8.2 B-a()	4000V 1min	√			
40				QS101	≤ 500 μ A		175			
41				QS101			√			
42				QS101	≤ 100 μ A		30			
43				QS102	1.1		√			
44				QS102	1.2		√			
45				QS102	1.3		√			



46				QS102	1.4	√			
47				QS102	2345544	√			
48				QS102	3.1 - -	√			
49				QS102	3.2	√			
50				QS102	3.3 “ OVER ”	√			
51				QS102	3.4 USB “ OVER ”	√			
52				QS102	3.5	√			
53				QS102	4.1 100rpm ± 10%	101			
54				QS102	4.2 600rpm ± 10%	622			
55				QS102	4.3 1200rpm ± 10%	1299			
56				QS102	5.1 0.4N.cm 100rpm ± 20%	0.36			
57				QS102	5.2 2.5N.cm 350rpm ± 20%	2.28			
58				QS102	5.3 5.0N.cm 350rpm ± 20%	4.98			
59				QS102	8.1 A-a2() 4000V 1min	√			
60				QS102	8.2 B-a() 4000V 1min	√			
61				QS102	≤ 500 μ A	341			

62				QS102		√			
63				QS102	$\leq 100 \mu A$	76			
64				QS103	1.1	√			
65				QS103	1.2	√			
66				QS103	1.3	√			
67				QS103	1.4	√			
68				QS103	2345544	√			
69				QS103	3.1	√			
70				QS103	3.2	√			
71				QS103	3.3 “ OVER ”	√			
72				QS103	3.4 USB “ OVER ”	√			
73				QS103	3.5	√			
74				QS103	4.1 100rpm $\pm 10\%$	98			
75				QS103	4.2 600rpm $\pm 10\%$	616			
76				QS103	4.3 1200rpm $\pm 10\%$	1261			
77				QS103	5.1 0.4N.cm $\pm 20\%$ 100rpm	0.35			



78				QS103	5.2	2.5N.cm ± 20%	350rpm	2.47			
79				QS103	5.3	5.0N.cm ± 20%	350rpm	5.03			
80				QS103	8.1	A-a2()	4000V 1min	√			
81				QS103	8.2	B-a()	4000V 1min	√			
82				QS103		≤ 500 μA		487			
83				QS103				√			
84				QS103		≤ 100 μA		87			
85				QS104	1.1			√			
86				QS104	1.2			√			
87				QS104	1.3			√			
88				QS104	1.4			√			
89				QS104	2345544			√			
90				QS104	3.1	-	-	√			
91				QS104	3.2			√			
92				QS104	3.3		“ OVER ”	√			
93				QS104	3.4	USB	“ OVER ”	√			

94				QS104	3.5		√			
95				QS104	4.1	100rpm ± 10%	95			
96				QS104	4.2	600rpm ± 10%	571			
97				QS104	4.3	1200rpm ± 10%	1207			
98				QS104	5.1	0.4N.cm ± 20%100rpm	0.39			
99				QS104	5.2	2.5N.cm ± 20%350rpm	2.48			
100				QS104	5.3	5.0N.cm ± 20%350rpm	5.03			
101				QS104	8.1 A-a2() 4000V 1min		√			
102				QS104	8.2 B-a() 4000V 1min		√			
103				QS104	≤ 500 μ A		140			
104				QS104			√			
105				QS104	≤ 100 μ A		88			
☒ ☐					/ 昭成		2026/01/07	/ 吉林		2026/01/07

“√”

“×”

“/”



A

ZMN/QR-ZZ-157/D

ZMNSC2601000051								
1	QS100	SBQS100	3	QS102	SBQS102	5	QS104	SBQS104
2	QS101	SBQS101	4	QS103	SBQS103	6		
/瑞威2026/01/07/Sie2026/01/07								

ZMN/QR-GY-008/A

A

2026/01/07

MOMASN231102350

ZMNSC260100005	1	30.01.63.020		LED(^{D600})	Pcs	5	

Sie

2026/01/07 15:58:40

昭成

2026/01/07 15:03:49

昭成

2026/01/07 17:04:48



	ZMNSC260100005	1	5
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☐	☐	☒
	☒	☐	☐
	☒	☐	☐
	☐	☒	☐
	☐	☐	☒
	☐	☐	☒
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
☒ ☐ / 张成 2026/01/07			
☒ ☐ / 张成 2026/01/07			



	ZMNSC260100005	1	5
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☐	☐	☒
	☒	☐	☐
	☒	☐	☐
	☐	☒	☐
	☐	☐	☒
	☐	☐	☒
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
	☒	☐	☐
☒ ☐ / 张成 2026/01/07			
☒ ☐ / 张成 2026/01/07			